

【学術論文】

- 1) Takuya Honda, Tatsuki Ichikawa, Mio Yamashima, Shinobu Yamamichi, Makiko Koike, Yusuke Nakano, Tetsurou Honda, Hiroyuki Yajima, Osamu Miyazaki, Yasutaka Kuribayashi, Tomonari Ikeda, Takuma Okamura, Kazuyoshi Nagata, Kazuhiko Nakao
PIVKA II is associated with liver function, bone metabolism, and muscle function in patients with liver disease
Biomed Rep. 2023 Nov 13;20(1):2.
doi:10.3892/br.2023.1690. eCollection 2024 Jan.

- 2) Shohei Narita, Satoshi Miuma, Sadayuki Okudaira, Yoshito Koga, Masanori Fukushima, Ryu Sasaki, Masafumi Haraguchi, Akihiko Soyama, Masaaki Hidaka, Hisamitsu Miyaaki, Mitsuru Futakuchi, Kazuhiro Nagai, Tatsuki Ichikawa, Susumu Eguchi, Kazuhiko Nakao
Regular protocol liver biopsy is useful to adjust immunosuppressant dose after adult liver transplantation
Clin Transplant 2023 Mar;37(3):e14873.
doi: 10.1111/ctr.14873. Epub 2022 Dec 22.